

L Number	Hits	Search Text	DB	Time stamp
1	7	benzoin with ((process processing) near3 aid)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 13:53
2	445217	epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 15:36
3	165	benzoin with (((process processing) near3 aid) pinhole (pin adj hole) air)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:12
4	105	(epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$) and (benzoin with (((process processing) near3 aid) pinhole (pin adj hole) air))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 13:53
5	1	"6344155" and ((powder powdered) with (coating composition))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 13:56
6	75	((epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$) and (benzoin with (((process processing) near3 aid) pinhole (pin adj hole) air))) and ((powder powdered) with (coating composition))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:18
7	30	((epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$) and (benzoin with (((process processing) near3 aid) pinhole (pin adj hole) air))) not (((epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$) and (benzoin with (((process processing) near3 aid) pinhole (pin adj hole) air))) and ((powder powdered) with (coating composition)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 13:58
8	1	"6344155" and (((process processing) near3 aid) pinhole (pin adj hole) air)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:01
9	2	4367318.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:01
11	25	((epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$) with (solid)) and (((phenol phenolic butylphenol \$10phenol) same (formaldehyde aldehyde) same (resole resol alkaline basic base)) ((resole resol) with (phenol phenolic \$10phenol))) and (((hindered hinder) with (phenol phenolic)) irganox lowinox))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 15:37
10	6	((epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$) with (solid)) and (((phenol phenolic butylphenol \$10phenol) same (formaldehyde aldehyde) same (resole resol alkaline basic base)) ((resole resol) with (phenol phenolic \$10phenol))) and (((hindered hinder) with (phenol phenolic)) irganox lowinox)) and benzoin	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:09

12	19	(((epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$) with (solid)) and (((phenol phenolic butylphenol \$10phenol) same (formaldehyde aldehyde) same (resole resol alkaline basic base)) ((resole resol) with (phenol phenolic \$10phenol))) and (((hindered hinder) with (phenol phenolic)) irganox lowinox))) not (((epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$) with (solid)) and (((phenol phenolic butylphenol \$10phenol) same (formaldehyde aldehyde) same (resole resol alkaline basic base)) ((resole resol) with (phenol phenolic \$10phenol))) and (((hindered hinder) with (phenol phenolic)) irganox lowinox)) and benzoin)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:11
13	13	"4367318"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:11
14	0	"4367318" and (benzoin with (((process processing) near3 aid) pinhole (pin adj hole) air))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:12
15	5	"4367318" and (pinhole (pin adj hole) air)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:53
16	23163	((hindered hinder) with (phenol phenolic)) irganox lowinox	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 15:35
17	0	"4367318" and (((hindered hinder) with (phenol phenolic)) irganox lowinox )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:17
18	61	((epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$) and (benzoin with (((process processing) near3 aid) pinhole (pin adj hole) air))) and ((powder powdered) with (coating composition) with (epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:19
19	61	(benzoin with (((process processing) near3 aid) pinhole (pin adj hole) air)) and ((powder powdered) with (coating composition) with (epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:23
20	9	(benzoin with (((process processing) near3 aid) pinhole (pin adj hole) air)) and ((powder powdered) with (coating composition) with (epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$)) and (((hindered hinder) with (phenol phenolic)) irganox lowinox )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:24
21	9	(benzoin with (((process processing) near3 aid) pinhole (pin adj hole) air)) and ((powder powdered) with (coating composition) same (epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$)) and (((hindered hinder) with (phenol phenolic)) irganox lowinox )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:25
22	9	(benzoin with (((process processing) near3 aid) pinhole (pin adj hole) air)) and (((powder powdered) with (coating composition)) same (epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$)) and (((hindered hinder) with (phenol phenolic)) irganox lowinox )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:25
23	10	(benzoin with (((process processing) near3 aid) pinhole (pin adj hole) air)) and ((powder powdered powdery) same (epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$)) and (((hindered hinder) with (phenol phenolic)) irganox lowinox )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:27

24	18047	((powder powdered powdery) same (epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$)) and ((powder powdered powdery) with (paint coating composition))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:28
26	9	((powder powdered powdery) same (epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$)) and ((powder powdered powdery) with (paint coating composition)) and (benzoin with (((process processing) near3 aid) pinhole (pin adj hole) air)) and (((hindered hinder) with (phenol phenolic)) irganox lowinox )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:29
27	316	((powder powdered powdery) same (epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$)) and ((powder powdered powdery) with (paint coating composition)) and (((hindered hinder) with (phenol phenolic)) irganox lowinox )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:29
25	62	((powder powdered powdery) same (epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$)) and ((powder powdered powdery) with (paint coating composition)) and (benzoin with (((process processing) near3 aid) pinhole (pin adj hole) air))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:30
28	17	((powder powdered powdery) same (epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$)) and ((powder powdered powdery) with (paint coating composition)) and (benzoin with (((process processing) near3 aid) pinhole (pin adj hole) air)) and antioxidant	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:32
29	154	(((hindered hinder) with (phenol phenolic)) irganox lowinox ) same (flow with (modify modifier modifying control controlling))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:37
30	49	((powder powdered powdery) same (epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$)) and ((powder powdered powdery) with (paint coating composition)) and (((hindered hinder) with (phenol phenolic)) irganox lowinox ) same (flow with (modify modifier modifying control controlling)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:54
31	57	(((hindered hinder) with (phenol phenolic)) irganox lowinox ) with (flow with (modify modifier modifying control controlling))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:37
32	7	((powder powdered powdery) same (epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$)) and ((powder powdered powdery) with (paint coating composition)) and (((hindered hinder) with (phenol phenolic)) irganox lowinox ) with (flow with (modify modifier modifying control controlling)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:40
33	9	(epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$) and ((powder powdered powdery) with (paint coating composition)) and (((hindered hinder) with (phenol phenolic)) irganox lowinox ) with (flow with (modify modifier modifying control controlling)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:40
34	0	"4367318" and antioxidant	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:43
35	2	jp-2000273282-\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:43
36	430	benzoin same (pinhole (pin adj hole) air)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 15:01

37	93	((powder powdered powdery) same (epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$)) and ((powder powdered powdery) with (paint coating composition)) and (benzoin same (pinhole (pin adj hole) air))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 15:01
38	7	benzoin same (pinhole (pin adj hole)) same air	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 15:01
39	7	((powder powdered powdery) same (epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$)) and ((powder powdered powdery) with (paint coating composition)) and (benzoin same (pinhole (pin adj hole)) same air)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 15:03
40	105	((powder powdered powdery) same (epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$)) and ((powder powdered powdery) with (paint coating composition)) and (pinhole (pin adj hole)) and antioxidant	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 15:03
41	15	((powder powdered powdery) same (epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$)) and ((powder powdered powdery) with (paint coating composition)) and (pinhole (pin adj hole)) and (antioxidant same (((hindered hinder) with (phenol phenolic)) irganox lowinox ))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 15:14
42	0	((powder powdered powdery) same (epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$)) and ((powder powdered powdery) with (paint coating composition)) and (pinhole (pin adj hole)) and (antioxidant same (((hindered hinder) with (phenol phenolic)) irganox lowinox )) and benzoin	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 15:14
43	8	((powder powdered powdery) same (epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$)) and ((powder powdered powdery) with (paint coating composition)) and (pinhole (pin adj hole)) and (antioxidant same (((hindered hinder) with (phenol phenolic)) irganox lowinox )) and benzoin	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 15:54
44	0	"4367318" and (oxidation rust antioxidant oxidize oxidate)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 15:29
45	3	"6344155"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 15:29
46	0	"6344155" and (pinhole (pin adj hole))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 15:29
47	23163	((hindered hinder) with (phenol phenolic)) irganox lowinox	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 15:35
48	21255	(epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$) with (solid crystalline)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 15:53
49	11242	((resole resol) with (phenol phenolic \$10phenol))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 15:40

50	16	(((hindered hinder) with (phenol phenolic)) irganox lowinox ) and ((epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$) with (solid crystalline)) and (((resole resol) with (phenol phenolic \$10phenol)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 15:53
51	39576	(epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$) with (biphenyl bisphenol stilbene)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 15:53
52	47	(((hindered hinder) with (phenol phenolic)) irganox lowinox ) and ((epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$) with (biphenyl bisphenol stilbene)) and (((resole resol) with (phenol phenolic \$10phenol)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 15:53
53	249277	((powder powdered powdery) with (paint coating composition))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 15:55
54	12	(((hindered hinder) with (phenol phenolic)) irganox lowinox ) and ((epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$) with (biphenyl bisphenol stilbene)) and (((resole resol) with (phenol phenolic \$10phenol))) ) and (((powder powdered powdery) with (paint coating composition)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 16:42
55	14	feely.xa. and winding	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 16:43
56	848	310/179.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 16:44
57	7340	523/400.ccls. 523/440.ccls. 525/523.ccls. 525/534.ccls. 427/58.ccls. 427/104.ccls. 427/116.ccls. 427/117.ccls. 427/386.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 16:49
58	4	(((hindered hinder) with (phenol phenolic)) irganox lowinox ) and ((epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$) with (solid crystalline)) and (((resole resol) with (phenol phenolic \$10phenol))) ) and (523/400.ccls. 523/440.ccls. 525/523.ccls. 525/534.ccls. 427/58.ccls. 427/104.ccls. 427/116.ccls. 427/117.ccls. 427/386.ccls. )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 16:50
59	7	(((hindered hinder) with (phenol phenolic)) irganox lowinox ) and ((epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$) with (biphenyl bisphenol stilbene)) and (((resole resol) with (phenol phenolic \$10phenol))) ) and (523/400.ccls. 523/440.ccls. 525/523.ccls. 525/534.ccls. 427/58.ccls. 427/104.ccls. 427/116.ccls. 427/117.ccls. 427/386.ccls. )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 16:50
60	11	guilbert-curtis.in. guilbert-curtis-\$.in. guilbert-curtis-r.in. curtis-guilbert.in. curtis-guilbert-\$.in. curtis-guilbert-r.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 17:07
61	1	hanssen-neil.in. hanssen-neil-\$.in. hanssen-neil-l.in. neil-hanssen.in. neil-hanssen-\$.in. neil-hanssen-l.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 17:08

62	11	(guilbert-curtis.in. guilbert-curtis-\$in. guilbert-curtis-r.in. curtis-guilbert.in. curtis-guilbert-\$in. curtis-guilbert-r.in.) (hanssen-neil.in. hanssen-neil-\$in. hanssen-neil-l.in. neil-hanssen.in. neil-hanssen-\$in. neil-hanssen-l.in.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 17:08
63	7	((((hindered hinder) with (phenol phenolic)) irganox lowinox ) and ((epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$) with (biphenyl bisphenol stilbene)) and (((resole resol) with (phenol phenolic \$10phenol))) ) or (((powder powdered powdery) with (paint coating composition)))) and ((guilbert-curtis.in. guilbert-curtis-\$in. guilbert-curtis-r.in. curtis-guilbert.in. curtis-guilbert-\$in. curtis-guilbert-r.in.) (hanssen-neil.in. hanssen-neil-\$in. hanssen-neil-l.in. neil-hanssen.in. neil-hanssen-\$in. neil-hanssen-l.in.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 17:10
64	2	((((hindered hinder) with (phenol phenolic)) irganox lowinox ) and ((epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$) with (solid crystalline)) and (((resole resol) with (phenol phenolic \$10phenol))) ) or (((hindered hinder) with (phenol phenolic)) irganox lowinox ) and ((epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$) with (biphenyl bisphenol stilbene)) and (((resole resol) with (phenol phenolic \$10phenol))) ) and ((guilbert-curtis.in. guilbert-curtis-\$in. guilbert-curtis-r.in. curtis-guilbert.in. curtis-guilbert-\$in. curtis-guilbert-r.in.) (hanssen-neil.in. hanssen-neil-\$in. hanssen-neil-l.in. neil-hanssen.in. neil-hanssen-\$in. neil-hanssen-l.in.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 17:10
-	1053	(epoxypropoxy with benzene) (epoxy with propoxy with benzene) epoxypropoxybenzene (glycidylloxy with benzene) glycidylloxybenzene (dihydroquinone with diglycidyl with ether) (dihydroquinone with diglycidylether) (hydroquinone with epoxypropyl with ether) (hydroquinone with epoxypropylether) (hydroquinone with diglycidyl with ether) (hydroquinone with diglycidylether)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 13:50
-	2	oxirane with (phenylenebis\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 10:18
-	1055	((epoxypropoxy with benzene) (epoxy with propoxy with benzene) epoxypropoxybenzene (glycidylloxy with benzene) glycidylloxybenzene (dihydroquinone with diglycidyl with ether) (dihydroquinone with diglycidylether) (hydroquinone with epoxypropyl with ether) (hydroquinone with epoxypropylether) (hydroquinone with diglycidyl with ether) (hydroquinone with diglycidylether)) (oxirane with (phenylenebis\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 10:20
-	33595	(powder powdered) same (epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 11:17
-	171	(((epoxypropoxy with benzene) (epoxy with propoxy with benzene) epoxypropoxybenzene (glycidylloxy with benzene) glycidylloxybenzene (dihydroquinone with diglycidyl with ether) (dihydroquinone with diglycidylether) (hydroquinone with epoxypropyl with ether) (hydroquinone with epoxypropylether) (hydroquinone with diglycidyl with ether) (hydroquinone with diglycidylether)) (oxirane with (phenylenebis\$))) and ((powder powdered) same (epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 10:22
-	3	(((epoxypropoxy with benzene) (epoxy with propoxy with benzene) epoxypropoxybenzene (glycidylloxy with benzene) glycidylloxybenzene (dihydroquinone with diglycidyl with ether) (dihydroquinone with diglycidylether) (hydroquinone with epoxypropyl with ether) (hydroquinone with epoxypropylether) (hydroquinone with diglycidyl with ether) (hydroquinone with diglycidylether)) (oxirane with (phenylenebis\$))) and ((powder powdered) same (epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$))) and resole	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 10:34

-	23163	((hindered hinder) with (phenol phenolic)) irganox lowinox	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:16
-	79	(((epoxypropoxy with benzene) (epoxy with propoxy with benzene) epoxypropoxybenzene (glycidylloxy with benzene) glycidylloxybenzene (dihydroquinone with diglycidyl with ether) (dihydroquinone with diglycidylether) (hydroquinone with epoxypropyl with ether) (hydroquinone with epoxypropylether) (hydroquinone with diglycidyl with ether) (hydroquinone with diglycidylether)) (oxirane with (phenylenebis\$))) and (((hindered hinder) with (phenol phenolic)) irganox lowinox)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 10:35
-	51191	((phenol phenolic butylphenol) with formaldehyde) ((resole resol) with (phenol phenolic))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 11:04
-	7	(((epoxypropoxy with benzene) (epoxy with propoxy with benzene) epoxypropoxybenzene (glycidylloxy with benzene) glycidylloxybenzene (dihydroquinone with diglycidyl with ether) (dihydroquinone with diglycidylether) (hydroquinone with epoxypropyl with ether) (hydroquinone with epoxypropylether) (hydroquinone with diglycidyl with ether) (hydroquinone with diglycidylether)) (oxirane with (phenylenebis\$))) and (((hindered hinder) with (phenol phenolic)) irganox lowinox)) and (((phenol phenolic butylphenol) with formaldehyde) ((resole resol) with (phenol phenolic)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 10:37
-	11201	(((phenol phenolic butylphenol) with formaldehyde) same (resole resol)) ((resole resol) with (phenol phenolic))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 11:05
-	1	(((epoxypropoxy with benzene) (epoxy with propoxy with benzene) epoxypropoxybenzene (glycidylloxy with benzene) glycidylloxybenzene (dihydroquinone with diglycidyl with ether) (dihydroquinone with diglycidylether) (hydroquinone with epoxypropyl with ether) (hydroquinone with epoxypropylether) (hydroquinone with diglycidyl with ether) (hydroquinone with diglycidylether)) (oxirane with (phenylenebis\$))) and (((phenol phenolic butylphenol) with formaldehyde) same (resole resol)) ((resole resol) with (phenol phenolic))) and (((hindered hinder) with (phenol phenolic)) irganox lowinox)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 11:05
-	18154	(((phenol phenolic butylphenol) with formaldehyde) same (resole resol alkaline basic base)) ((resole resol) with (phenol phenolic))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 11:07
-	1	(((epoxypropoxy with benzene) (epoxy with propoxy with benzene) epoxypropoxybenzene (glycidylloxy with benzene) glycidylloxybenzene (dihydroquinone with diglycidyl with ether) (dihydroquinone with diglycidylether) (hydroquinone with epoxypropyl with ether) (hydroquinone with epoxypropylether) (hydroquinone with diglycidyl with ether) (hydroquinone with diglycidylether)) (oxirane with (phenylenebis\$))) and (((phenol phenolic butylphenol) with formaldehyde) same (resole resol alkaline basic base)) ((resole resol) with (phenol phenolic))) and (((hindered hinder) with (phenol phenolic)) irganox lowinox)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 11:06

-	0	(((epoxypropoxy with benzene) (epoxy with propoxy with benzene) epoxypropoxybenzene (glycidylloxy with benzene) glycidylloxybenzene (dihydroquinone with diglycidyl with ether) (dihydroquinone with diglycidylether) (hydroquinone with epoxypropyl with ether) (hydroquinone with epoxypropylether) (hydroquinone with diglycidyl with ether) (hydroquinone with diglycidylether)) (oxirane with (phenylenebis\$))) and (((phenol phenolic butylphenol) with formaldehyde) same (resole resol alkaline basic base)) ((resole resol) with (phenol phenolic))) and (((hindered hinder) with (phenol phenolic)) irganox lowinox) and (powder powdered)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 11:10
-	19780	((phenol phenolic butylphenol \$10phenol) same formaldehyde same (resole resol alkaline basic base)) ((resole resol) with (phenol phenolic \$10phenol))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 11:52
-	0	(((epoxypropoxy with benzene) (epoxy with propoxy with benzene) epoxypropoxybenzene (glycidylloxy with benzene) glycidylloxybenzene (dihydroquinone with diglycidyl with ether) (dihydroquinone with diglycidylether) (hydroquinone with epoxypropyl with ether) (hydroquinone with epoxypropylether) (hydroquinone with diglycidyl with ether) (hydroquinone with diglycidylether)) (oxirane with (phenylenebis\$))) and (((phenol phenolic butylphenol \$10phenol) same formaldehyde same (resole resol alkaline basic base)) ((resole resol) with (phenol phenolic \$10phenol))) and (((hindered hinder) with (phenol phenolic)) irganox lowinox) and (powder powdered)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 11:19
-	1	(((epoxypropoxy with benzene) (epoxy with propoxy with benzene) epoxypropoxybenzene (glycidylloxy with benzene) glycidylloxybenzene (dihydroquinone with diglycidyl with ether) (dihydroquinone with diglycidylether) (hydroquinone with epoxypropyl with ether) (hydroquinone with epoxypropylether) (hydroquinone with diglycidyl with ether) (hydroquinone with diglycidylether)) (oxirane with (phenylenebis\$))) and (((phenol phenolic butylphenol \$10phenol) same formaldehyde same (resole resol alkaline basic base)) ((resole resol) with (phenol phenolic \$10phenol))) and (((hindered hinder) with (phenol phenolic)) irganox lowinox)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 11:53
-	15631	(crystal crystalline) same (epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 11:34
-	5108	resorcin\$ with (epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 11:18
-	20860	((epoxypropoxy with benzene) (epoxy with propoxy with benzene) epoxypropoxybenzene (glycidylloxy with benzene) glycidylloxybenzene (dihydroquinone with diglycidyl with ether) (dihydroquinone with diglycidylether) (hydroquinone with epoxypropyl with ether) (hydroquinone with epoxypropylether) (hydroquinone with diglycidyl with ether) (hydroquinone with diglycidylether)) (oxirane with (phenylenebis\$)) ((crystal crystalline) same (epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$)) (resorcin\$ with (epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 11:19




-	39	(((epoxypropoxy with benzene) (epoxy with propoxy with benzene) epoxypropoxybenzene (glycidylloxy with benzene) glycidylloxybenzene (dihydroquinone with diglycidyl with ether) (dihydroquinone with diglycidylether) (hydroquinone with epoxypropyl with ether) (hydroquinone with epoxypropylether) (hydroquinone with diglycidyl with ether) (hydroquinone with diglycidylether)) (oxirane with (phenylenebis\$)) ((crystal crystalline) same (epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$)) (resorcin\$ with (epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$))) and (((phenol phenolic butylphenol \$10phenol) same formaldehyde same (resole resol alkaline basic base)) ((resole resol) with (phenol phenolic \$10phenol))) and (((hindered hinder) with (phenol phenolic)) irganox lowinox)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 11:19
-	18	(((epoxypropoxy with benzene) (epoxy with propoxy with benzene) epoxypropoxybenzene (glycidylloxy with benzene) glycidylloxybenzene (dihydroquinone with diglycidyl with ether) (dihydroquinone with diglycidylether) (hydroquinone with epoxypropyl with ether) (hydroquinone with epoxypropylether) (hydroquinone with diglycidyl with ether) (hydroquinone with diglycidylether)) (oxirane with (phenylenebis\$)) ((crystal crystalline) same (epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$)) (resorcin\$ with (epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$))) and (((phenol phenolic butylphenol \$10phenol) same formaldehyde same (resole resol alkaline basic base)) ((resole resol) with (phenol phenolic \$10phenol))) and (((hindered hinder) with (phenol phenolic)) irganox lowinox) and (powder powdered)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 11:57
-	21	(((epoxypropoxy with benzene) (epoxy with propoxy with benzene) epoxypropoxybenzene (glycidylloxy with benzene) glycidylloxybenzene (dihydroquinone with diglycidyl with ether) (dihydroquinone with diglycidylether) (hydroquinone with epoxypropyl with ether) (hydroquinone with epoxypropylether) (hydroquinone with diglycidyl with ether) (hydroquinone with diglycidylether)) (oxirane with (phenylenebis\$)) ((crystal crystalline) same (epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$)) (resorcin\$ with (epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$))) and (((phenol phenolic butylphenol \$10phenol) same formaldehyde same (resole resol alkaline basic base)) ((resole resol) with (phenol phenolic \$10phenol))) and (((hindered hinder) with (phenol phenolic)) irganox lowinox)) not (((epoxypropoxy with benzene) (epoxy with propoxy with benzene) epoxypropoxybenzene (glycidylloxy with benzene) glycidylloxybenzene (dihydroquinone with diglycidyl with ether) (dihydroquinone with diglycidylether) (hydroquinone with epoxypropyl with ether) (hydroquinone with epoxypropylether) (hydroquinone with diglycidyl with ether) (hydroquinone with diglycidylether)) (oxirane with (phenylenebis\$)) ((crystal crystalline) same (epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$)) (resorcin\$ with (epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$))) and (((phenol phenolic butylphenol \$10phenol) same formaldehyde same (resole resol alkaline basic base)) ((resole resol) with (phenol phenolic \$10phenol))) and (((hindered hinder) with (phenol phenolic)) irganox lowinox) and (powder powdered))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 11:28
-	492	(crystalline) adj (epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 11:42
-	0	((crystalline) adj (epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$)) with (example example suitable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 11:43
-	0	((crystalline) with (epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$)) with (example example suitable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 11:43

-	0	(crystalline) with (epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$) with (example example suitable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 11:44
-	95	((crystalline) with (epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$)) with (represented example example suitable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 11:51
-	42100	(epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$) same (biphenyl bisphenol stilbene)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 11:52
-	21986	((phenol phenolic butylphenol \$10phenol) same (formaldehyde aldehyde) same (resole resol alkaline basic base)) ((resole resol) with (phenol phenolic \$10phenol))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 12:26
-	2	((epoxypropoxy with benzene) (epoxy with propoxy with benzene) epoxypropoxybenzene (glycidylloxy with benzene) glycidylloxybenzene (dihydroquinone with diglycidyl with ether) (dihydroquinone with diglycidylether) (hydroquinone with epoxypropyl with ether) (hydroquinone with epoxypropylether) (hydroquinone with diglycidyl with ether) (hydroquinone with diglycidylether)) (oxirane with (phenylenebis\$))) and (((phenol phenolic butylphenol \$10phenol) same (formaldehyde aldehyde) same (resole resol alkaline basic base)) ((resole resol) with (phenol phenolic \$10phenol))) and (((hindered hinder) with (phenol phenolic)) irganox lowinox)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 11:56
-	62	((epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$) same (biphenyl bisphenol stilbene)) and (((phenol phenolic butylphenol \$10phenol) same (formaldehyde aldehyde) same (resole resol alkaline basic base)) ((resole resol) with (phenol phenolic \$10phenol))) and (((hindered hinder) with (phenol phenolic)) irganox lowinox)) and (powder powdered)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 13:52
-	29	((epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$) same (biphenyl bisphenol stilbene)) and (((phenol phenolic butylphenol \$10phenol) same (formaldehyde aldehyde) same (resole resol alkaline basic base)) ((resole resol) with (phenol phenolic \$10phenol))) and (((hindered hinder) with (phenol phenolic)) irganox lowinox)) and ((powder powdered) with (coating composition))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 13:55
-	8	((epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$) same (biphenyl bisphenol stilbene)) and (((phenol phenolic butylphenol \$10phenol) same (formaldehyde aldehyde) same (resole resol alkaline basic base)) ((resole resol) with (phenol phenolic \$10phenol))) and (((hindered hinder) with (phenol phenolic)) irganox lowinox)) and ((powder powdered) with (coating composition)) and benzoin	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 12:14
-	21	((epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$) same (biphenyl bisphenol stilbene)) and (((phenol phenolic butylphenol \$10phenol) same (formaldehyde aldehyde) same (resole resol alkaline basic base)) ((resole resol) with (phenol phenolic \$10phenol))) and (((hindered hinder) with (phenol phenolic)) irganox lowinox)) and ((powder powdered) with (coating composition))) not (((epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$) same (biphenyl bisphenol stilbene)) and (((phenol phenolic butylphenol \$10phenol) same (formaldehyde aldehyde) same (resole resol alkaline basic base)) ((resole resol) with (phenol phenolic \$10phenol))) and (((hindered hinder) with (phenol phenolic)) irganox lowinox)) and ((powder powdered) with (coating composition)) and benzoin)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 12:15

-	79	(((epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$) same (biphenyl bisphenol stilbene)) and (((phenol phenolic butylphenol \$10phenol) same (formaldehyde aldehyde) same (resole resol alkaline basic base)) ((resole resol) with (phenol phenolic \$10phenol))) and (((hindered hinder) with (phenol phenolic)) irganox lowinox)) not (((epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$) same (biphenyl bisphenol stilbene)) and (((phenol phenolic butylphenol \$10phenol) same (formaldehyde aldehyde) same (resole resol alkaline basic base)) ((resole resol) with (phenol phenolic \$10phenol))) and (((hindered hinder) with (phenol phenolic)) irganox lowinox)) and ((powder powdered) with (coating composition)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 12:25
-	11242	(resole resol) with (phenol phenolic \$10phenol)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 12:29
-	39	(((epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$) same (biphenyl bisphenol stilbene)) and (((phenol phenolic butylphenol \$10phenol) same (formaldehyde aldehyde) same (resole resol alkaline basic base)) ((resole resol) with (phenol phenolic \$10phenol))) and (((hindered hinder) with (phenol phenolic)) irganox lowinox)) not (((epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$) same (biphenyl bisphenol stilbene)) and (((phenol phenolic butylphenol \$10phenol) same (formaldehyde aldehyde) same (resole resol alkaline basic base)) ((resole resol) with (phenol phenolic \$10phenol))) and (((hindered hinder) with (phenol phenolic)) irganox lowinox)) and ((powder powdered) with (coating composition))) and ((resole resol) with (phenol phenolic \$10phenol))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 12:41
-	2	(((epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$) same (biphenyl bisphenol stilbene)) and (((phenol phenolic butylphenol \$10phenol) same (formaldehyde aldehyde) same (resole resol alkaline basic base)) ((resole resol) with (phenol phenolic \$10phenol))) and (((hindered hinder) with (phenol phenolic)) irganox lowinox)) and ((electric electrical) with winding)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 12:41
-	108	((epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$) same (biphenyl bisphenol stilbene)) and (((phenol phenolic butylphenol \$10phenol) same (formaldehyde aldehyde) same (resole resol alkaline basic base)) ((resole resol) with (phenol phenolic \$10phenol))) and (((hindered hinder) with (phenol phenolic)) irganox lowinox)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 12:43
-	17	(((epox\$5 diepox\$5 polyepox\$5 diglycidyl\$ polyglycidyl\$) same (biphenyl bisphenol stilbene)) and (((phenol phenolic butylphenol \$10phenol) same (formaldehyde aldehyde) same (resole resol alkaline basic base)) ((resole resol) with (phenol phenolic \$10phenol))) and (((hindered hinder) with (phenol phenolic)) irganox lowinox)) and benzoin	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/26 14:03

L3 ANSWER 1 OF 1 REGISTRY COPYRIGHT 2004 ACS on STN  
 RN 2425-01-6 REGISTRY  
 CN Oxirane, 2,2'-[1,4-phenylenebis(oxyethylene)]bis- (9CI) (CA INDEX NAME)  
 OTHER CA INDEX NAMES:  
 CN Benzene, p-bis(2,3-epoxypropoxy)- (6CI, 7CI, 8CI)  
 OTHER NAMES:  
 CN 1,4-Bis(2,3-epoxypropoxy)benzene  
 CN 1,4-Di(glycidyloxy)benzene  
 CN 1,4-Hydroquinone diglycidyl ether  
 CN Dihydroquinone diglycidyl ether  
 CN Hydroquinone bis(2,3-epoxypropyl) ether  
 CN Hydroquinone diglycidyl ether  
 CN NSC 6708  
 CN p-Dihydroquinone diglycidyl ether  
 FS 3D CONCORD  
 MF C12 H14 O4  
 CI COM  
 LC STN Files: BEILSTEIN\*, CA, CAOLD, CAPLUS, CASREACT, CHEMCATS, CHEMLIST,  
 CSCHEM, IFICDB, IFIPAT, IFIUB, TOXCENTER, USPAT2, USPATFULL  
 (\*File contains numerically searchable property data)  
 Other Sources: NDSL\*\*, TSCA\*\*  
 (\*\*Enter CHEMLIST File for up-to-date regulatory information)  
 DT.CA Caplus document type: Conference; Journal; Patent; Report  
 RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); PROC  
 (Process); PRP (Properties); RACT (Reactant or reagent); USES (Uses);  
 NORL (No role in record)  
 RLD.P Roles for non-specific derivatives from patents: USES (Uses)  
 RL.NP Roles from non-patents: ANST (Analytical study); BIOL (Biological  
 study); PREP (Preparation); PROC (Process); PRP (Properties); RACT  
 (Reactant or reagent); USES (Uses); NORL (No role in record)  
 RLD.NP Roles for non-specific derivatives from non-patents: PREP  
 (Preparation); PRP (Properties); USES (Uses)



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

163 REFERENCES IN FILE CA (1907 TO DATE)  
 14 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA  
 163 REFERENCES IN FILE CAPLUS (1907 TO DATE)  
 17 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:SSSPTA1712MXF

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

\* \* \* \* \* Welcome to STN International \* \* \* \* \*

NEWS	1	Web Page URLs for STN Seminar Schedule - N. America
NEWS	2	"Ask CAS" for self-help around the clock
NEWS	3 May 12	EXTEND option available in structure searching
NEWS	4 May 12	Polymer links for the POLYLINK command completed in REGISTRY
NEWS	5 May 27	New UPM (Update Code Maximum) field for more efficient patent SDIs in CAPLUS
NEWS	6 May 27	CAPLUS super roles and document types searchable in REGISTRY
NEWS	7 Jun 28	Additional enzyme-catalyzed reactions added to CASREACT
NEWS	8 Jun 28	ANTE, AQUALINE, BIOENG, CIVILENG, ENVIROENG, MECHENG, and WATER from CSA now available on STN(R)
NEWS	9 Jul 12	BEILSTEIN enhanced with new display and select options, resulting in a closer connection to BABS
NEWS	10 Jul 30	BEILSTEIN on STN workshop to be held August 24 in conjunction with the 228th ACS National Meeting
NEWS	11 AUG 02	IFIPAT/IFIUDB/IFICDB reloaded with new search and display fields
NEWS	12 AUG 02	CAPLUS and CA patent records enhanced with European and Japan Patent Office Classifications
NEWS	13 AUG 02	STN User Update to be held August 22 in conjunction with the 228th ACS National Meeting
NEWS	14 AUG 02	The Analysis Edition of STN Express with Discover! (Version 7.01 for Windows) now available
NEWS	15 AUG 04	Pricing for the Save Answers for SciFinder Wizard within STN Express with Discover! will change September 1, 2004
NEWS EXPRESS	JULY 30	CURRENT WINDOWS VERSION IS V7.01, CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP), AND CURRENT DISCOVER FILE IS DATED 11 AUGUST 2004
NEWS HOURS		STN Operating Hours Plus Help Desk Availability
NEWS INTER		General Internet Information
NEWS LOGIN		Welcome Banner and News Items
NEWS PHONE		Direct Dial and Telecommunication Network Access to STN
NEWS WWW		CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

\* \* \* \* \* STN Columbus \* \* \* \* \*

FILE 'HOME' ENTERED AT 10:01:25 ON 26 AUG 2004

=> file registry

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.21

0.21

FILE 'REGISTRY' ENTERED AT 10:01:35 ON 26 AUG 2004

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2004 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 24 AUG 2004 HIGHEST RN 732209-96-0

DICTIONARY FILE UPDATES: 24 AUG 2004 HIGHEST RN 732209-96-0

TSCA INFORMATION NOW CURRENT THROUGH MAY 21, 2004

Please note that search-term pricing does apply when conducting SmartSELECT searches.


Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more information enter HELP PROP at an arrow prompt in the file or refer to the file summary sheet on the web at:

<http://www.cas.org/ONLINE/DBSS/registryss.html>

=>

Uploading C:\STNEXP4\QUERIES\10034534.str



chain nodes :

7 8 9 10 11 12 13 14

ring nodes :

1 2 3 4 5 6 15 16 17 18 19 20

chain bonds :

1-10 2-9 3-12 4-7 5-8 6-11 11-13 12-14 13-18 14-17

ring bonds :

1-2 1-6 2-3 3-4 4-5 5-6 15-18 15-20 16-17 16-19 17-19 18-20

exact/norm bonds :

3-12 6-11 15-18 15-20 16-17 16-19 17-19 18-20

exact bonds :

1-10 2-9 4-7 5-8 11-13 12-14 13-18 14-17

normalized bonds :

1-2 1-6 2-3 3-4 4-5 5-6

Match level :

1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:CLASS 8:CLASS 9:CLASS 10:CLASS

11:CLASS 12:CLASS 13:CLASS 14:CLASS 15:Atom 16:Atom 17:Atom 18:Atom

19:Atom 20:Atom

L1

STRUCTURE UPLOADED

=> s 11  
SAMPLE SEARCH INITIATED 10:01:50 FILE 'REGISTRY'  
SAMPLE SCREEN SEARCH COMPLETED - 556 TO ITERATE

100.0% PROCESSED 556 ITERATIONS  
SEARCH TIME: 00.00.01

11 ANSWERS


FULL FILE PROJECTIONS: ONLINE \*\*COMPLETE\*\*  
BATCH \*\*COMPLETE\*\*  
PROJECTED ITERATIONS: 9706 TO 12534  
PROJECTED ANSWERS: 22 TO 418

L2 11 SEA SSS SAM L1

=> d 12 1

L2 ANSWER 1 OF 11 REGISTRY COPYRIGHT 2004 ACS on STN  
RN 641613-65-2 REGISTRY  
CN Oxirane, 2,2'-[1,4-phenylenebis(oxymethylene)]bis-, (2R,2'R)- (9CI) (CA  
INDEX NAME)  
FS STEREOSEARCH  
MF C12 H14 O4  
SR CA  
LC STN Files: CA, CAPLUS, CASREACT  
DT.CA 'Caplus document type: Journal  
RL.NP Roles from non-patents: RACT (Reactant or reagent)

Absolute stereochemistry.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1907 TO DATE)  
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)


=> d 12 2

L2 ANSWER 2 OF 11 REGISTRY COPYRIGHT 2004 ACS on STN  
RN 164654-45-9 REGISTRY  
CN Silicic acid (H4SiO4), tetraethyl ester, polymer with 2,2'-[1,4-phenylenebis(oxymethylene)]bis[oxirane] and 3-(trimethoxysilyl)-1-propanamine (9CI) (CA INDEX NAME)  
OTHER CA INDEX NAMES:  
CN 1-Propanamine, 3-(trimethoxysilyl)-, polymer with 2,2'-[1,4-phenylenebis(oxymethylene)]bis[oxirane] and silicic acid (H4SiO4) tetraethyl ester (9CI)  
CN Oxirane, 2,2'-[1,4-phenylenebis(oxymethylene)]bis-, polymer with silicic acid (H4SiO4) tetraethyl ester and 3-(trimethoxysilyl)-1-propanamine (9CI)  
OTHER NAMES:  
CN Aminopropyltrimethoxysilane-hydroquinone diglycidyl ether-tetraethoxysilane copolymer  
MF (C12 H14 O4 . C8 H20 O4 Si . C6 H17 N O3 Si)x  
CI PMS

PCT Epoxy resin, Polyether, Polyother  
SR CA  
LC STN Files: CA, CAPLUS, USPATFULL  
DT.CA CAPLUS document type: Patent  
RL.P Roles from patents: PREP (Preparation); PRP (Properties); USES (Uses)


CM 1

CRN 13822-56-5  
CMF C6 H17 N O3 Si




CM 2

CRN 2425-01-6  
CMF C12 H14 O4



CM 3

CRN 78-10-4  
CMF C8 H20 O4 Si



3 REFERENCES IN FILE CA (1907 TO DATE)  
3 REFERENCES IN FILE CAPLUS (1907 TO DATE)

=> d 12 3


L2 ANSWER 3 OF 11 REGISTRY COPYRIGHT 2004 ACS on STN  
RN 146089-50-1 REGISTRY  
CN 1,3-Benzenedisulfonamide, N,N'-dimethyl-, polymer with  
2,2'-[1,4-phenylenebis(oxymethylene)]bis[oxirane] (9CI) (CA INDEX NAME)  
OTHER CA INDEX NAMES:  
CN Oxirane, 2,2'-[1,4-phenylenebis(oxymethylene)]bis-, polymer with  
N,N'-dimethyl-1,3-benzenedisulfonamide (9CI)  
MF (C12 H14 O4 . C8 H12 N2 O4 S2)x  
CI PMS  
PCT Epoxy resin, Polyether, Polyother  
SR CA  
LC STN Files: CA, CAPLUS, USPATFULL



DT.CA CAplus document type: Journal; Patent  
RL.P Roles from patents: PREP (Preparation)  
RL.NP Roles from non-patents: PREP (Preparation); PRP (Properties)


CM 1

CRN 146089-48-7  
CMF C8 H12 N2 O4 S2



CM 2

CRN 2425-01-6  
CMF C12 H14 O4




2 REFERENCES IN FILE CA (1907 TO DATE)  
2 REFERENCES IN FILE CAPLUS (1907 TO DATE).

=> s 2425-01-6/rn  
L3 1 2425-01-6/RN

=> d 13

L3 ANSWER 1 OF 1 REGISTRY COPYRIGHT 2004 ACS on STN  
RN **2425-01-6** REGISTRY  
CN Oxirane, 2,2'-[1,4-phenylenebis(oxymethylene)]bis- (9CI) (CA INDEX NAME)  
OTHER CA INDEX NAMES:  
CN Benzene, p-bis(2,3-epoxypropoxy)- (6CI, 7CI, 8CI)  
OTHER NAMES:  
CN 1,4-Bis(2,3-epoxypropoxy)benzene  
CN 1,4-Di(glycidyloxy)benzene  
CN 1,4-Hydroquinone diglycidyl ether  
CN Dihydroquinone diglycidyl ether  
CN Hydroquinone bis(2,3-epoxypropyl) ether  
CN Hydroquinone diglycidyl ether  
CN NSC 6708  
CN p-Dihydroquinone diglycidyl ether  
FS 3D CONCORD  
MF C12 H14 O4  
CI COM  
LC STN Files: BEILSTEIN\*, CA, CAOLD, CAPLUS, CASREACT, CHEMCATS, CHEMLIST, CSCHEM, IFICDB, IFIPAT, IFIUDB, TOXCENTER, USPAT2, USPATFULL  
(\*File contains numerically searchable property data)  
Other Sources: NDSL\*\*, TSCA\*\*  
(\*\*Enter CHEMLIST File for up-to-date regulatory information)  
DT.CA CAplus document type: Conference; Journal; Patent; Report  
RL.P Roles from patents: BIOL (Biological study); PREP (Preparation); PROC

(Process); PRP (Properties); RACT (Reactant or reagent); USES (Uses);  
 NORL (No role in record)  
 RLD.P Roles for non-specific derivatives from patents: USES (Uses)  
 RL.NP Roles from non-patents: ANST (Analytical study); BIOL (Biological study); PREP (Preparation); PROC (Process); PRP (Properties); RACT (Reactant or reagent); USES (Uses); NORL (No role in record)  
 RLD.NP Roles for non-specific derivatives from non-patents: PREP (Preparation); PRP (Properties); USES (Uses)



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

163 REFERENCES IN FILE CA (1907 TO DATE)  
 14 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA  
 163 REFERENCES IN FILE CAPLUS (1907 TO DATE)  
 17 REFERENCES IN FILE CAOLD (PRIOR TO 1967)

=> file caplus  
 COST IN U.S. DOLLARS  
 FULL ESTIMATED COST

SINCE FILE	TOTAL
ENTRY	SESSION
8.76	8.97

FILE 'CAPLUS' ENTERED AT 10:04:04 ON 26 AUG 2004  
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
 COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 26 Aug 2004 VOL 141 ISS 9  
 FILE LAST UPDATED: 25 Aug 2004 (20040825/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s full l3  
 L4 163 L3

=> s full l3 and powder and resole  
 163 L3  
 457541 POWDER  
 154697 POWDERS  
 525921 POWDER  
 (POWDER OR POWDERS)  
 188928 POWD  
 262 POWDS

```

189062 POWD
      (POWD OR POWDS)
647000 POWDER
      (POWDER OR POWD)
596 RESOLE
133 RESOLES
648 RESOLE
      (RESOLE OR RESOLES)
L5      0 L3 AND POWDER AND RESOLE

=> s full l3 and powder and hindered
      163 L3
      457541 POWDER
      154697 POWDERS
      525921 POWDER
            (POWDER OR POWDERS)
      188928 POWD
            262 POWDS
      189062 POWD
            (POWD OR POWDS)
      647000 POWDER
            (POWDER OR POWD)
      34043 HINDERED
L6      0 L3 AND POWDER AND HINDERED

=> s full l3 and powder
      163 L3
      457541 POWDER
      154697 POWDERS
      525921 POWDER
            (POWDER OR POWDERS)
      188928 POWD
            262 POWDS
      189062 POWD
            (POWD OR POWDS)
      647000 POWDER
            (POWDER OR POWD)
L7      9 L3 AND POWDER

=> s full l3 and (powder or powdered)
      163 L3
      457541 POWDER
      154697 POWDERS
      525921 POWDER
            (POWDER OR POWDERS)
      188928 POWD
            262 POWDS
      189062 POWD
            (POWD OR POWDS)
      647000 POWDER
            (POWDER OR POWD)
      25254 POWDERED
      188928 POWD
            262 POWDS
      189062 POWD
            (POWD OR POWDS)
      202532 POWDERED
            (POWDERED OR POWD)
L8      9 L3 AND (POWDER OR POWDERED)

=> d 18 abs ibib hitstr 1-9


L8      ANSWER 1 OF 9  CAPLUS  COPYRIGHT 2004 ACS on STN
AB      The clear thermoset coating cured at <350° F without bubble

```

entrapment is prepared from the blends containing: (a) non-crystalline epoxy resin,  
 especially as bisphenol-A epoxy; (b) 5-15% of crystalline epoxy resin; (c) curing  
 agent, especially dicyanodiamide; (d) cure catalyst, typically 2-Me imidazole;  
 and (e) minor conventional additives. The mixts. show good stability in  
 storage, and can be applied by electrostatic-spray coating. The clear  
 coating 2.5-3.0 mils thick is suitable for decorative hard finish on  
 polished brass articles, or can be pigmented for similar applications.

ACCESSION NUMBER: 2000:769099 CAPLUS  
 DOCUMENT NUMBER: 133:312450  
 TITLE: **Powder** blends with amorphous and crystalline  
 epoxy resins suitable for thermoset coating on  
 polished brass articles  
 INVENTOR(S): Ruth, William G.; Greth, Stacy L.; Seelig, Carryll A.;  
 Schreffler, Dean A.  
 PATENT ASSIGNEE(S): Morton International Inc., USA  
 SOURCE: U.S., 6 pp.  
 CODEN: USXXAM  
 DOCUMENT TYPE: Patent  
 LANGUAGE: English  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 6140430	A	20001031	US 1999-307541	19990507
CA 2296633	AA	20001107	CA 2000-2296633	20000118
CA 2296633	C	20031216		
EP 1050564	A2	20001108	EP 2000-301694	20000302
EP 1050564	A3	20001115		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
US 6309751	B1	20011030	US 2000-605268	20000628
US 2002019499	A1	20020214	US 2001-928765	20010813
US 6616979	B2	20030909		
PRIORITY APPLN. INFO.:			US 1999-307541	A 19990507
IT 2425-01-6, Hydroquinone diglycidyl ether				
RL: MOA (Modifier or additive use); USES (Uses)				
(resin blend containing; <b>powder</b> blends with amorphous and crystalline epoxy resins for thermoset coating on brass)				
RN 2425-01-6 CAPLUS				
CN Oxirane, 2,2'-[1,4-phenylenebis(oxyethylene)]bis- (9CI) (CA INDEX NAME)				



REFERENCE COUNT: 7 THERE ARE 7 CITED REFERENCES AVAILABLE FOR THIS  
 RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT


L8 ANSWER 2 OF 9 CAPLUS COPYRIGHT 2004 ACS on STN  
 AB This invention provides a UV curable **powder** coating composition  
 comprising a particulate blend of a non-crystalline unsatd. polyester base  
 resin, a crystalline unsatd. crosslinker resin co-polymerizable with the base  
 resin, and a photoinitiator, that exhibits reduced or eliminated hazing in  
 the cured coating formed therefrom upon being cured at low temps. demanded  
 by certain heat sensitive substrates. This is accomplished by  
 incorporating in the **powder** composition a recrystn. or haze inhibitor  
 which is comprised of a crystalline epoxy resin. When this **powder**  
 blend is melted for curing, the crystalline crosslinker resin visually appears

to sep. and recrystallize out of the molten **powder** less completely than it does in the absence of the recrystn. or haze inhibitor. This prevents a visible haze from developing on the surface of the coating upon curing with UV radiation.

ACCESSION NUMBER: 2000:754509 CAPLUS  
DOCUMENT NUMBER: 133:323048  
TITLE: Non-hazing UV-curable **powder** coatings containing crystalline resins  
INVENTOR(S): Daly, Andrew T.; Muthiah, Jenö; Haley, Richard P.; Decker, Owen H.; Reinheimer, Eugene P.; Snyder, Matthew B.  
PATENT ASSIGNEE(S): Morton International Inc., USA  
SOURCE: U.S., 9 pp., Cont.-in-part of U.S. 6,011,080. CODEN: USXXAM  
DOCUMENT TYPE: Patent  
LANGUAGE: English  
FAMILY ACC. NUM. COUNT: 3  
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
US 6136882	A	20001024	US 1999-349074	19990708
US 6011080	A	20000104	US 1998-136184	19980819
EP 980901	A2	20000223	EP 1999-306013	19990729
EP 980901	A3	20000426		
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO				
CA 2279164	C	20030121	CA 1999-2279164	19990730
MX 9907354	A	20001031	MX 1999-7354	19990810
NO 9904011	A	20000221	NO 1999-4011	19990819
PRIORITY APPLN. INFO.:			US 1998-136184	A2 19980819
			US 1999-349074	A 19990708

IT **2425-01-6**, Hydroquinone diglycidyl ether  
RL: MOA (Modifier or additive use); USES (Uses)  
(recrystn. or haze inhibitor; non-hazing UV-curable **powder** coatings containing crystalline resins)  
RN **2425-01-6** CAPLUS  
CN Oxirane, 2,2'-[1,4-phenylenebis(oxymethylene)]bis- (9CI) (CA INDEX NAME)



REFERENCE COUNT: 21 THERE ARE 21 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT


L8 ANSWER 3 OF 9 CAPLUS COPYRIGHT 2004 ACS on STN  
AB The title coatings contain triazinethiols, tannic acid or derivs., and resins (e.g. polyesters, polyester-epoxy resins). Thus, a mixture of 21 g **powdered** (dibutylamino)triazinedithiol, 2.52 g **powdered** hydroquinone diglycidyl ether, 300 mL acetone, 3.36 g 50% BuOH solution of CE 800 (polyester), and 260 g 30% polytannic acid (K-polymer L2) gave an anticorrosive coating on Fe-rare earth metal-B alloy magnets.

ACCESSION NUMBER: 1990:425643 CAPLUS  
DOCUMENT NUMBER: 113:25643  
TITLE: Anticorrosive coatings for rare earth-iron-boron permanent magnets  
INVENTOR(S): Kobayashi, Toshihiro; Kuwazawa, Takafumi; Kobayashi, Toshimasa  
PATENT ASSIGNEE(S): Sankyo Seiki Mfg. Co., Ltd., Japan  
SOURCE: Jpn. Kokai Tokkyo Koho, 7 pp.



DOCUMENT TYPE: Patent  
 LANGUAGE: Japanese  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 02006573	A2	19900110	JP 1988-156639	19880627
WO 9313177	A1	19930708	WO 1989-JP636	19890627
W: US				
US 5096741	A	19920317	US 1990-623460	19901219
PRIORITY APPLN. INFO.:			JP 1988-156639	19880627
			WO 1989-JP636	19890627

IT 2425-01-6  
 RL: USES (Uses)  
 (in anticorrosive coatings for iron-rare earth-boron alloy magnets)  
 RN 2425-01-6 CAPLUS  
 CN Oxirane, 2,2'-[1,4-phenylenebis(oxyethylene)]bis- (9CI) (CA INDEX NAME)



L8 ANSWER 4 OF 9 CAPLUS COPYRIGHT 2004 ACS on STN  
 GI



II

AB Acrylic resin **powder** coating compns. with low temperature curing properties and good storage stability were prepared by mixing a polyepoxy compound and an organosilicon compound with a copolymer of  $\alpha, \beta$ -unsatd. carboxylic acids and ethylenically unsatd. compds. Thus, a monomer mixture of styrene 25, Me methacrylate 35, Bu acrylate 20, acrylic acid 20, and azobisisobutyronitrile 2 parts was copolymd. 5 hr at 110° in PhMe and evaporated to give a copolymer [27306-39-4] (weight average mol. weight 8600, glass transition temperature 74°) in 95% yield. The copolymer 100, an epoxy compound (I) [2425-01-6] 15, a Si compound (II) [60243-16-5] 1, TiO<sub>2</sub> 20, and Modaflow 1 part were melt blended and ground to give a blocking-resistant **powder** coating composition, which was electrostatically coated on a phosphated steel panel and baked 30 min at 150° to give a smooth solvent- and abrasion-resistant coating film with Erichsen value >8 mm.

ACCESSION NUMBER: 1977:91872 CAPLUS  
 DOCUMENT NUMBER: 86:91872


TITLE: Acrylic resin **powder** coating compositions  
 INVENTOR(S): Matsumoto, Yoshio; Nakamura, Katsuyuki; Sasaguri, Kiichiro; Matsuo, Shunji; Sato, Mikio; Hayashi, Yoshio; Uda, Bunzo; Mitsui, Ryoichi  
 PATENT ASSIGNEE(S): Asahi Chemical Industry Co., Ltd., Japan  
 SOURCE: Jpn. Kokai Tokkyo Koho, 8 pp.  
 CODEN: JKXXAF  
 DOCUMENT TYPE: Patent  
 LANGUAGE: Japanese  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 51125114	A2	19761101	JP 1974-132054	19741118
PRIORITY APPLN. INFO.: IT 2425-01-6			JP 1974-132054	19741118


RL: MOA (Modifier or additive use); USES (Uses)  
 (crosslinking agents, for acrylic coatings in presence of organosilicon compds.)

RN 2425-01-6 CAPLUS

CN Oxirane, 2,2'-[1,4-phenylenebis(oxymethylene)]bis- (9CI) (CA INDEX NAME)



L8 ANSWER 5 OF 9 CAPLUS COPYRIGHT 2004 ACS on STN  
 GI



AB Acrylic resin **powder** coating compns. with low temperature curing properties and good storage stability were prepared by mixing a polyepoxy compound and an amine-carboxylic acid salt or a carbamate (prepared from an amine and CO2) with a copolymer of  $\alpha,\beta$ -unsatd. carboxylic acids and ethylenically unsatd. compds. Thus, a monomer mixture of styrene 25, Me methacrylate 35, Bu acrylate 20, acrylic acid 20, and azobisisobutyronitrile 2 parts was copolymd. 5 h at 110° in PhMe and evaporated to give a copolymer [27306-39-4] (glass transition temperature 74°) in 95% yield. The copolymer 100, an epoxy compound (I) [2425-01-6] 15, 1:1 mole ratio diethylenetriamine-isophthalic acid salt [61852-66-2] 1, TiO2 20, and Modaflow 1 part were melt blended and ground to give a blocking-resistant **powder** coating composition, which was electrostatically coated on a phosphated steel panel and baked 30 min at 150° to give a smooth solvent- and abrasion-resistant coating film with Erichsen value >8 mm.

ACCESSION NUMBER: 1977:91871 CAPLUS

DOCUMENT NUMBER: 86:91871


TITLE: Acrylic resin **powder** coating compositions  
 INVENTOR(S): Matsumoto, Yoshio; Nakamura, Katsuyuki; Sasaguri, Kiichiro; Matsuo, Shunji; Sato, Mikio; Hayashi, Yoshio; Uda, Bunzo

PATENT ASSIGNEE(S): Asahi Chemical Industry Co., Ltd., Japan

SOURCE: Jpn. Kokai Tokkyo Koho, 7 pp.  
 CODEN: JKXXAF  
 DOCUMENT TYPE: Patent  
 LANGUAGE: Japanese  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
JP 51125117	A2	19761101	JP 1974-132053	19741118
PRIORITY APPLN. INFO.:			JP 1974-132053	19741118

IT **2425-01-6**  
 RL: MOA (Modifier or additive use); USES (Uses)  
 (crosslinking agents, for acrylic coatings in presence of carboxylic acid amine salts or carbamates)  
 RN 2425-01-6 CAPLUS  
 CN Oxirane, 2,2'-[1,4-phenylenebis(oxymethylene)]bis- (9CI) (CA INDEX NAME)




L8 ANSWER 6 OF 9 CAPLUS COPYRIGHT 2004 ACS on STN  
 AB Dehydrochlorination in the condensation of epichlorohydrin with alcs. and PhNH<sub>2</sub>, and of chloronitrobenzenes with anilines, was effected by contacting the reactants with **powdered** NaOH-Al<sub>2</sub>O<sub>3</sub> or K<sub>2</sub>CO<sub>3</sub>-Al<sub>2</sub>O<sub>3</sub>. Thus, 2,4-(O<sub>2</sub>N)<sub>2</sub>C<sub>6</sub>H<sub>3</sub>NHPh was prepared (98%) by passing an equimolar solution of 2,4-(O<sub>2</sub>N)<sub>2</sub>C<sub>6</sub>H<sub>3</sub>Cl and PhNH<sub>2</sub> in DMF through a chromatog. column containing a 1:1 mixture of K<sub>2</sub>CO<sub>3</sub> and Al<sub>2</sub>O<sub>3</sub>. Five epoxides and 14 nitrodiphenylamines were prepared

ACCESSION NUMBER: 1975:443019 CAPLUS  
 DOCUMENT NUMBER: 83:43019  
 TITLE: Dehydrochlorination reactions  
 INVENTOR(S): Bell, John Alexander; Grindlay, John W.; Simkins, Robert J. J.  
 PATENT ASSIGNEE(S): United Kingdom Secretary for Defence, UK  
 SOURCE: Brit., 6 pp.  
 CODEN: BRXXAA  
 DOCUMENT TYPE: Patent  
 LANGUAGE: English  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
GB 1386594	A	19750312	GB 1971-5078	19720215
PRIORITY APPLN. INFO.:			GB 1971-5078	19720215

IT **2425-01-6P**  
 RL: SPN (Synthetic preparation); PREP (Preparation)  
 (preparation of)  
 RN 2425-01-6 CAPLUS  
 CN Oxirane, 2,2'-[1,4-phenylenebis(oxymethylene)]bis- (9CI) (CA INDEX NAME)






L8 ANSWER 7 OF 9 CAPLUS COPYRIGHT 2004 ACS on STN  
 AB The title composition consists of a glycidyl ether binder, a tetrahydrophthalic anhydride curing agent, a filler, and a pigment. To obtain a **powd** . composition, characterized by moisture resistance, mech. strength, and storage stability, a diglycidyl ether of hydroquinone is used as the binder and methyltetrahydrophthalic anhydride is used as the curing agent in an amount of 167-180 parts by weight per 100 parts of the binder.

ACCESSION NUMBER: 1970:467779 CAPLUS  
 DOCUMENT NUMBER: 73:67779  
 TITLE: Glycidyl ether composition  
 INVENTOR(S): Kolmakov, O. A.; Seryakov, N. N.; Sheveleva, A. F.; Demidova-Shchetinina, R. I.; Nikolaev, V. M.; Baskina, L. Z.  
 SOURCE: U.S.S.R. From: Otkrytiya, Izobret., Prom. Obratzsy, Tovarnye Znaki 1970, 47(16), 68.  
 CODEN: URXXAF  
 DOCUMENT TYPE: Patent  
 LANGUAGE: Russian  
 FAMILY ACC. NUM. COUNT: 1  
 PATENT INFORMATION:

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
	-----	----	-----	-----	-----
	SU 270161		19700508	SU	19651122
IT	<b>2425-01-6</b>				
	RL: TEM (Technical or engineered material use); USES (Uses) (coatings, moisture-resistant)				
RN	2425-01-6 CAPLUS				
CN	Oxirane, 2,2'-[1,4-phenylenebis(oxymethylene)]bis- (9CI) (CA INDEX NAME)				




L8 ANSWER 8 OF 9 CAPLUS COPYRIGHT 2004 ACS on STN  
 GI For diagram(s), see printed CA Issue.  
 AB Antistatic agents for high-mol.-weight polymers are prepared by reaction of 2 moles of a primary and (or) secondary amine, R<sub>1</sub>R<sub>2</sub>NH(R<sub>1</sub> = C<sub>4</sub>-22 aliphatic hydrocarbon group and R<sub>2</sub> = H or C<sub>1</sub>-12 aliphatic hydrocarbon group), with 1 mole of dioxirane (I or II, where R = H or Me and n = 0-3) at 80-240° under atmospheric pressure for 1-4 hrs. The agents improve the sliding of the polymers, act as antiblocking agents, reduce the electrostatic charge, have very good permanent efficiency, support high temps. without discoloring or exuding, do not react with other additives, are not corrosive, and are highly compatible. Thus, 1% of the reaction product of 1,4-bis(2,3-epoxypropoxy)benzene and stearylamine in solution was mixed with **powdered** low-pressure polyethylene, the solvent evaporated at 50-100° and 100 mm., the mixture extruded as a band, the band cut into small pieces, and the granules injection molded at 220-90° into 1-mm.-thick plates having a maximum electrostatic charge of -74 volts and an electrostatic charge of -150 after wiping with a damp cloth and drying for 5 hrs. at ambient temperature A sample which was lightly rubbed with a woolen cloth 10 times and then held 0.5 cm. from a layer of C black showed no attraction. Similar results were obtained with polypropylene, polystyrene, and poly(ethylene glycol terephthalate). Other amines used were N-methylaurylamine, a heavy tallow amine, Bu<sub>2</sub>NH, N-methylstearylamine, octylamine, and N-ethylstearylamine. Other dioxiranes were 1,3-bis(2,3-epoxypropoxy)benzene, 2,2-bis[p-(2,3-

epoxypropoxy)phenyl]propane, and the epoxy resin condensate of  
2,2-bis(4-hydroxyphenyl)propane with epichlorohydrin.

ACCESSION NUMBER: 1969:431057 CAPLUS  
DOCUMENT NUMBER: 71:31057  
TITLE: Antistatic agents for high-molecular-weight polymers  
PATENT ASSIGNEE(S): Farbwerke Hoechst A.-G.  
SOURCE: Fr., 5 pp.  
CODEN: FRXXAK  
DOCUMENT TYPE: Patent  
LANGUAGE: French  
FAMILY ACC. NUM. COUNT: 1  
PATENT INFORMATION:


PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
FR 1524755		19680510		
DE 1694119			DE	
GB 1157257			GB	
PRIORITY APPLN. INFO.:			DE	19660528
IT 2425-01-6				
RL: USES (Uses)				
(reaction products with amines, as antistatic agents for polymers)				
RN 2425-01-6 CAPLUS				
CN Oxirane, 2,2'-[1,4-phenylenebis(oxymethylene)]bis-			(9CI)	(CA INDEX NAME)



L8 ANSWER 9 OF 9 CAPLUS COPYRIGHT 2004 ACS on STN  
AB A modified technique for rapid evaluation of the effectiveness of poly(vinyl chloride) (I) stabilizers was studied. Thus, **powdered** I, containing 0.01 mole/kg. photostabilizer, was placed in small (150 + 16 mm.) quartz glass boats in a quartz tube, which was sealed in a special frame. I was irradiated with uv light for 15 min. at <35°, and the HCl formed was displaced by carefully purified air (CO<sub>2</sub> removed). This allowed HCl to be absorbed by NaOH or AgNO<sub>3</sub> solns., and to be determined accordingly. The technique was modified to determine the time corresponding to evolution of certain amts. of HCl. The alkalimetric procedure involved placing 2.5 ml. 0.01N NaOH, 2-3 drops Phenol Red, and H<sub>2</sub>O in test tubes (total volume 25 ml.). Air containing HCl was neutralized in the alkaline solution, and a graph showing dehydrochlorination of I was plotted from the amount of HCl evolved vs. time. The argentometric procedure involved a potentiometric determination of Cl<sup>-</sup> using Hg and Ag electrodes. Effectiveness of the stabilizers used increased with epoxy group contents; i.e., hydroquinone diglycidyl ether was more effective than the glycidyl ethers of 1- or 2-naphthol, which were equivalent to each other. The following order of increasing stabilizing efficiency was also found: Ph salicylate < 2-hydroxy-4-octyloxybenzophenone < 2-(2-hydroxy-5-methylphenyl)benzotriazole.

ACCESSION NUMBER: 1969:68962 CAPLUS  
DOCUMENT NUMBER: 70:68962  
TITLE: Evaluating the effectiveness of poly(vinyl chloride) stabilizers  
AUTHOR(S): Temchin, Yu. I.; Burmistrov, E. F.; Kislyakova, L. I.; Ikonnikova, M. P.  
CORPORATE SOURCE: USSR  
SOURCE: Plasticheskie Massy (1968), (12), 60-2

CODEN: PLMSAI; ISSN: 0554-2901  
DOCUMENT TYPE: Journal  
LANGUAGE: Russian  
IT 2425-01-6  
RL: USES (Uses)  
(as ultraviolet light stabilizer, for chloroethylene polymers)  
RN 2425-01-6 CAPLUS  
CN Oxirane, 2,2'-[1,4-phenylenebis(oxyethylene)]bis- (9CI) (CA INDEX NAME)



=>

---Logging off of STN---

=>

Executing the logoff script...

=> LOG Y

COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	57.34	66.31
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	-6.30	-6.30

STN INTERNATIONAL LOGOFF AT 10:06:32 ON 26 AUG 2004